



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/550,827	09/23/2005	Sven Mattisson	P17614-US2	1755

27045 7590 10/19/2007
ERICSSON INC.
6300 LEGACY DRIVE
M/S EVR 1-C-11
PLANO, TX 75024

EXAMINER

GOODLEY, JAMES E

ART UNIT	PAPER NUMBER
----------	--------------

2817

MAIL DATE	DELIVERY MODE
-----------	---------------

10/19/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/550,827	Applicant(s) MATTISSON, SVEN	
	Examiner James E. Goodley	Art Unit 2817	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-30 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-30 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 23 September 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|--|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>9/23/2005</u> . | 6) <input type="checkbox"/> Other: ____ |

Art Unit: 2817

DETAILED ACTION***Double Patenting***

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-30 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-22 of **copending Application No. 10/550,241**. Although the conflicting claims are not identical, they are not patentably distinct from each other because a random sequence of bits generated from oscillating and amplifying means necessarily generates a random noise signal.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 2, 4, 5, 7, 8, 10, 12 and 17 are rejected under 35 U.S.C. 102(b) as being anticipated by ***Hoffman (US 6,061,702)***.

Regarding **claims 1, 2, 4, 5, 7, 8, 10, 12 and 17**, Fig. 1 of Hoffman discloses a device for generating a noise signal [SCLK], comprising;

a noise source for generating intrinsic noise, the noise source further comprising:

noisy amplifier cell having amplifying means [noisy amplifier comprising MOS transistors 18 and 19];

a load [PMOS 16] coupled to the amplifying means and a power supply [Vcc]; and

a tail-current source [NMOS 19] coupled to grounding means and to the amplifying means.

The amplifying means comprises a common-source amplifier (the sources of 17 and 18 are not used as input or output). The resistive load 16 is cascoded with PMOS 17.

A first amplifier cell [11] is provided DC coupled to the noisy amplifier cell; and the output terminals of the noisy amplifier cell are coupled to respective input terminals [12, 13] of the first amplifier. The design of the first amplifier and the noisy amplifier

Art Unit: 2817

correspond to each other, as they are both designed to develop the noise-based random control signal 14 to the VCO 10 to develop a random clock signal.

The input terminals of the amplifying means of the amplifier cell 11 are short-circuited to a fixed DC potential established by MOS transistors 16-19 at node 15.

Claims 1-5, 7-9, 11, 17, 24, 25 and 28 are rejected under 35 U.S.C. 102(b) as being anticipated by *Sauer (US 6,064,257)*.

Regarding **claims 1-5, 7-9, 11, 17, 24, 25 and 28**, Figs 5-7 of Sauer disclose a device for generating a noise signal [Vout], comprising;

a noise source [50] for generating intrinsic noise, the noise source further comprising:

noisy amplifier cell having differential amplifying means [for example, transistors Q1-Q6 – see Fig. 5];

a load [PNP transistors Q7-Q12] coupled to the amplifying means and a power supply [Vcc]; and

a tail-current source [I1-I3] coupled to grounding means and to the amplifying means.

The amplifying means comprises a common-source amplifier (see MP1-MP4). The resistive loads are cascoded with amplifier cells Q1-Q6.

A first amplifier cell [61 – Q15, Q16] is provided DC coupled to the noisy amplifier cell; and the output terminals of the noisy amplifier cell are coupled to respective input terminals [bases] of the first amplifier. The design of the first amplifier and the noisy

amplifier correspond to each other, as they are both designed to develop the noise-based random bias control signal to the VCO to develop a random clock signal.

The input terminals of the amplifying means of the amplifier cell 11 are short-circuited to a fixed DC potential established by MOS transistors 16-19 at node 15.

Fig. 6 of Sauer discloses the output of differential amplifier 61 feeding a differential VCO structure 61, having a tail current source [Q17, Q18, R19, R20] and a load [Q29, Q30].

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 11 and 13-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over ***Hoffman (US 6,061,702)***.

Regarding **claim 11**, Hoffman discloses the device of claim 1, but fails to disclose, "wherein the load, the amplifying means, and the tail current source of the noisy amplifier cell comprises BJT (Bipolar Junction Transistors) transistors."

However, one of ordinary skill in the art would recognize that BJT transistor implementation is an equivalency of using MOS transistor technology.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Hoffman to utilize bipolar transistor

Art Unit: 2817

technology instead of the MOS technology disclosed in Hoffman, as such implementation is an art-recognized equivalency.

Regarding **claim 13**, Hoffman discloses the device of claim 1, but fails to disclose, "wherein the load comprises NMOS transistors and the amplifying means and tail current source comprises PMOS transistors."

However, one of ordinary skill in the art would recognize that the CMOS topology of the noise source in Hoffman could equivalently be adapted to implementation with an NMOS load and PMOS tail current source.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Hoffman to utilize an NMOS load and PMOS tail current source, as such an implementation is the functional equivalent of the PMOS load and NMOS tail current source in Hoffman.

Regarding **claim 14**, the device of Hoffman fails to disclose the device according to claim 13, "wherein the width-over-length ratio of the transistors of the amplifying means is at least 3 times the width-over-length ratio of the transistors of the tail-current source, and the width-over-length ratio of the second transistor pair of the load is at least 3 times the size of the width-over-length ratio of the first transistor pair of the load."

However, there appears to be no criticality in the applicant's disclosure as to the particular width-length ratio of the transistors. It is believed the ratio is simply a design choice for one of ordinary skill in the art to decide upon.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Hoffman in view of Sauer to utilize the

Art Unit: 2817

particular width to length ratio of the claimed transistors, as such transistor sizes are a mere design choice.

Regarding **claim 15**, the device of Hoffman fails to disclose the device according to claim 13 wherein the width of the transistors of the amplifying means and the transistors of the second transistor pair of the load is in the range of 2.5-125 μm , and the length of the transistors is in the range of 0.25-12.5 μm ; the width and the length of the transistors of the tail-current source and the transistors of the first transistor pair of the load are in the range of 0.25-12.5 μm .

However, there appears to be no criticality in the applicant's disclosure as to the particular width-length ratio of the transistors. It is believed the ratio is simply a design choice for one of ordinary skill in the art to decide upon.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Hoffman in view of Sauer to utilize the particular width to length ratio of the claimed transistors, as such transistor sizes are a mere design choice.

Claims 3, 9 and 24-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Hoffman (US 6,061,702)** in view of **Sauer (US 6,064,257)**.

Regarding **claim 3**, Hoffman discloses the device according to claim 2, but fails to disclose, "wherein the common source amplifier comprises transistors having a differential topology."

However, Figs. 5-7 of Sauer disclose a similar random signal generator with a random noise source [50], amplifier [61] and VCO [62]. The noise source is of differential topology, creating a differential output Vout 1,2 for the amplifier 61.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the noise source of Hoffman, in order to directly feed the amplifier of Hoffman, without need for a separate resistive divider.

Regarding **claim 9**, Hoffman fails to disclose the device according to claim 7, further comprising: "a differential amplifier having first and second input terminals coupled to output terminals of the first amplifier the differential amplifier comprising amplifying means; a load coupled to the amplifying means and a power supply; and a tail-current source coupled to grounding means and to the amplifying means."

However, Fig. 6 of Sauer discloses the output of differential amplifier 61 feeding a differential VCO structure 61, having a tail current source [Q17, Q18, R19, R20] and a load [Q29, Q30].

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize a differential VCO structure like that of Sauer's, for the purpose of being able to generate a differential output clock signal.

Regarding **claims 24, 25 and 28**, Hoffman discloses the device of claim 1, further comprising a noise source output terminal [15];

a random generating sequence device [amplifier 11, VCO 10 and clock circuitry 25-36] for generating a random sequence of bits coupled to the noise source output terminal;

Art Unit: 2817

the random generating sequence device further comprises:

oscillating means [10] having an input terminal [14] for receiving a bias as input, the oscillating means coupled to the noise source output terminal, the oscillating means further comprising at least one oscillator amplifier (inherently, as active feedback is required in an oscillator); and

amplifying means comprising at least one a differential amplifier [11] coupled to a corresponding at least one oscillator amplifier.

Hoffman does not specifically disclose:

a load coupled to the amplifying means and to a power supply, the load being adapted to protect the amplifying means from interfering signals; and

a tail current source coupled to the amplifying means and grounding means.

However, Figs. 4 and 6 of Sauer disclose a similar random signal generator with a random noise source [50], amplifier [61] and VCO [62]. The amplifier is provided with a load [19] coupled to Vcc, the load being adapted to protect the amplifying means from interfering signals; and a tail current source [R19 and R20] coupled to ground.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the amplifier 11 of Hoffman, to include a load and tail current source, in order to properly bias the amplifier.

Regarding **claims 26 and 27**, the device of Hoffman in view of Sauer does not specifically disclose utilizing the random noise generator in a mobile radio terminal or mobile telephone.

Art Unit: 2817

However, as is notoriously well-known in the art, a random noise source may be utilized in such mobile applications as spread spectrum or other cryptographic forms of communication, in order to establish a secure communications link.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Hoffman in view of Sauer to utilize the random noise generator in a mobile application such as spread spectrum or other cryptographic forms of communication, in order to establish a secure communications link.

Regarding **claim 29**, the device of Hoffman in view of Sauer fails to disclose the device according to claim 12, "wherein the width-over-length ratio of the transistors of the amplifying means is at least 3 times the width-over-length ratio of the transistors of the tail-current source, and the width-over-length ratio of the second transistor pair of the load is at least 3 times the size of the width-over-length ratio of the first transistor pair of the load."

However, there appears to be no criticality in the applicant's disclosure as to the particular width-length ratio of the transistors. It is believed the ratio is simply a design choice for one of ordinary skill in the art to decide upon.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Hoffman in view of Sauer to utilize the particular width to length ratio of the claimed transistors, as such transistor sizes are a mere design choice.

Regarding **claim 30**, the device of Hoffman in view of Sauer fails to disclose the device according to claim 12 wherein the width of the transistors of the amplifying means and the transistors of the second transistor pair of the load is in the range of 2.5-125 μm , and the length of the transistors is in the range of 0.25-12.5 μm ; the width and the length of the transistors of the tail-current source and the transistors of the first transistor pair of the load are in the range of 0.25-12.5 μm .

However, there appears to be no criticality in the applicant's disclosure as to the particular width-length ratio of the transistors. It is believed the ratio is simply a design choice for one of ordinary skill in the art to decide upon.



It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Hoffman in view of Sauer to utilize the particular width to length ratio of the claimed transistors, as such transistor sizes are a mere design choice.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James E. Goodley whose telephone number is (571)-272-8598. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert J. Pascal can be reached on (571)272-1769. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Robert Pascal
Supervisory Patent Examiner
Technology Center 2800